



- Absauggerät für den Einsatz an bis zu 2 Arbeitsplätzen.
- Separat wechselbarer Feinstaub-Vorfilter M5.
- Aktivkohle für effektive Gasreinigung.
- Tragbares Absauggerät, zur flexiblen Platzierung direkt unter oder neben dem Arbeitsplatz.
- Einfacher Filterwechsel
- Große HEPA H13 Filteroberfläche mit 2,4m² für optimale Partikelfiltration und lange Filterstandzeit
- Variable Leistungsregelung durch 4 Drehzahleinstellungen
- Gesundheitsschutz durch elektronische Filterüberwachung und Filteralarm
- Lange Lebensdauer durch hochwertiges EC-Gasgebläse
- Schnelle, einfache und stabile Installation dank Easy-Click System und Tischklemme

Zero Smog EL Kit 1

Artikel Nr.: FT91012699

Abmessungen L x B x H (mm)	335 x 360 x 445
Abmessungen L x B x H (Inch)	13.19 x 14.17 x 17.52
Gewicht (ca) in kg	8.6
Spannung	220-240 V (50/60 Hz)
Leistung	120 VA
Geräuschpegel (Abstand 1 m) dB(A)	
Max. Vakuum	2500 Pa
Fördermenge m ³ /h	150
Vorfilter	Feinstaubfilter Klasse M5
Kompaktfilter	Partikelfilter H13, Aktivkohlefilter
Max. Kapazität	1-2 Arbeitsplätze
Schnittstelle RS232 (Remote control)	---
USB-Schnittstelle	---
WX kompatibel	---

Description	Zero Smog 2	MG 130	MG 100S	MG 140	Zero Smog 4V	Zero Smog 6V
						
Article No.	T0058762701	130-2000-ESD	100-2000-ESD	145-2000-ESD	T0058735936	T0058735838
Description	Standard filter	Standard filter	Standard filter	Standard filter	Standard filter	Standard filter
Gasfilter composition	activated carbon foam	50 % activated carbon 50% Chemisorb	50 % activated carbon 50 % Chemisorb	50 % activated carbon 50 % Chemisorb	50 % activated carbon 50 % Chemisorb	50 % activated carbon 50 % Chemisorb
Gasfilter volume	2,5 liter	2,50 liter	6,67 liter	6,94 liter	3,06 liter	12,43 liter
Gasfilter weight	-	1,80 kg	4,80 kg	5,00 kg	2,20 kg	8,95 kg

Article No.		100-2003-ESD	145-2003-ESD	T0058735895	T0058735835
Description		MEK filter	MEK filter	Adhesive filter	Adhesive filter
Gasfilter composition		100 % Chemisorb	100 % Chemisorb	50 % activated carbon 50 % Chemisorb	50 % activated carbon 50 % Chemisorb
Gasfilter volume		8,17 liter	6,34 liter	4,72 liter	18,33 liter
Gasfilter weight		6,70 kg	5,20 kg	3,40 kg	13,20 kg

Article No.		100-2012-ESD	145-2012-ESD
Description		Solvents / VOC	Solvents / VOC
Gasfilter composition		100 % activated carbon	100 % activated carbon
Gasfilter volume		8,57 liter	9,64 liter
Gasfilter weight		4,80 kg	5,40 kg

Article No.		T0058762762	145-2002-ESD	T0053666670
Description		Cleanroom filter	Cleanroom filter	Cleanroom adhesive filter*
Gasfilter composition		50 % activated carbon 50 % Chemisorb	50 % activated carbon 50 % Chemisorb	50 % activated carbon 50 % Chemisorb
Gasfilter volume		7,22 liter	7,22 liter	12,43 liter
Gasfilter weight		5,20 kg	5,20 kg	8,95 kg

*Without H13 particle filter

Capacity of extraction arms*	Zero Smog 2	MG 130	MG 100S	MG 140	Zero Smog 4V	Zero Smog 6V
						
1 x Ø 60 mm / 2 x Ø 32 mm	+	+	+	+	+	+
2 x Ø 60 mm / 4 x Ø 32 mm	+	+	+	+	+	+
3 x Ø 60 mm / 6 x Ø 32 mm					+	+
4 x Ø 60 mm / 8 x Ø 32 mm					+	+
5 x Ø 60 mm / 10 x Ø 32 mm						+
6 x Ø 60 mm						+
7 x Ø 60 mm						+
8 x Ø 60 mm						+

* This figures are related to the complete hose / tube length and layout of extraction arms. For detailed information check the catalogue or ask application.

 compatible

 limited compatible related to layout